



MAY 2026

WT5400 / WT6400 Accessories Guide

**Improving efficiency with purpose-built
hands-free wearables**

For the latest version of these guides and more, please visit
www.zebra.com/wt5400 or www.zebra.com/wt6400



Contents

I.	Accessories that POWER wearable terminals	
	Chargers	3
	Wearable Terminal Cradles, Combined Wearable Terminal and Battery Charger, Battery Chargers	
	Batteries	4
	Spare Li-ion standard and extended capacity batteries	
	Power supply, cables, and adapters	5
	Power supplies, cables, Headset cables	
II.	Accessories that ENABLE productivity solutions	
	Wearable mounts	8
	Wrist Mounts, Hip Mount	
	Replacement Wrist Straps	9
	Single and Double Dial Straps, Velcro Straps, X-Straps	
	Other Accessories	10
	Arm Sleeves, Screen Protector	
	Corded Ring Scanners	10

Accessories that power wearable terminals

WT5400 / WT6400 Cradles



WT5400 / WT6400, Single Slot Charge Cradle

SKU# CRD-WT5X6-1S1BC-01

WT5400/WT6400 Single Slot Charge Only Cradle, Allows Charging Of 1 Wearable Terminal And 1 Spare Battery.

Sold separately:

- Power Supply SKU# PWR-BGA12V50W0WW
- DC Line Cord SKU# CBL-DC-388A1-01
- 3-Wire Grounded Country Specific AC Line Cord ([listed later in this document](#))



WT5400 / WT6400, 10-Slot Charge Cradle

SKU# CRD-WT5X6-10SC-01

WT5400/WT6400 10-Slot Charge Only Cradle, Allows Charging Of 10 Wearable Terminals.

Sold separately:

- Power Supply SKU# PWR-BGA12V108W0WW
- DC Line Cord SKU# CBL-DC-381A1-01
- 3-Wire Grounded Country Specific AC Line Cord ([listed later in this document](#))
- Rack/Wall Mounting bracket for multi-slot cradles SKU# BRKT-SCRD-SMRK-01



WT5400 / WT6400, 5-Slot Charge Cradle

SKU# CRD-WT5X6-5S5BC-01

WT5400/WT6400 5-Slot Charge Only Cradle W/ Battery Charger, Charges 5 Wearable Terminals And 5 Spare Batteries.

Sold separately:

- Power Supply SKU# PWR-BGA12V108W0WW
- DC Line Cord SKU# CBL-DC-381A1-01
- 3-Wire Grounded Country Specific AC Line Cord ([listed later in this document](#))



WT6400 , 5-Slot Ethernet Cradle

SKU# CRD-WT64-5S5BE-01

WT6400 5-Slot Ethernet Cradle W/Battery Charger, Charges 5 Wearable Terminals And 5 Batteries. Ethernet Comms.

Sold separately:

- Power Supply SKU# PWR-BGA12V108W0WW
- DC Line Cord SKU# CBL-DC-381A1-01
- 3-Wire Grounded Country Specific AC Line Cord ([listed later in this document](#))

Accessories that power wearable terminals

Battery Chargers



WT5400 / WT6400, 4-Slot Battery Charger

SKU# SAC-WT5X6-4SC-01

WT5400/WT6400 4-Slot Spare Battery Charger, Charges 4 Spare Batteries For Wearable Terminal.

Sold separately:

- Power Supply SKU# PWR-BGA12V50W0WW
- DC Line Cord SKU# CBL-DC-388A1-01
- 3-Wire Grounded Country Specific AC Line Cord ([listed later in this document](#))



WT5400 / WT6400, 20-Slot Battery Charger

SKU# SAC-WT5X6-20SC-01

WT5400/WT6400 20-Slot Spare Battery Charger, Charges 20 Batteries For Wearable Terminal.

Sold separately:

- Power Supply SKU# PWR-BGA12V108W0WW
- DC Line Cord SKU# CBL-DC-381A1-01
- 3-Wire Grounded Country Specific AC Line Cord ([listed later in this document](#))

Batteries



WT5400 / WT6400 Li-Ion, Standard Capacity Battery

SKU# BTRY-WT5X6-35MA-01

WT5400/WT6400 PowerPrecision+ Standard Battery, 3500mAh, Supports Operation Between -20C/-4F And 50C/122F. PowerPrecision+ advanced battery technology, provides higher level of intelligence on battery state of charge and state of health.



WT5400 / WT6400 Li-Ion, Extended Capacity Battery

SKU# BTRY-WT5X6-50MA-01

WT5400/WT6400 PowerPrecision+ Extended Battery, 5000mAh, Supports WT6400 Operation Between -30C/-22F And 50C/122F And WT5400 Operation Between -20C/-4F And 50C/122F. PowerPrecision+ advanced battery technology, provides higher level of intelligence on battery state of charge and state of health.

Accessories that power devices

Power supply, cables, and adaptors

Power supply and cable matrix

SKU#	Description	Note
PWR-WUA5V45W1xx	USB Type C Power Supply Adaptor with US Plug. Used with USB-C Cable (CBL-EC5X-USBC3A-01) to Charge Device. Input of 100-240VAC and a Self-Adjusting Output Ranging from 5V/3A to 20V/2.25A.	See table below for country variants.
CBL-EC5X-USBC3A-01	USB-C to USB-C Communications and Charging Cable, 1m long. Supports 3.0 Superspeed and Fast Charge.	For use with WT5400 only.
CBL-TC5X-USBC2A-01	USB-A to USB-C Communications and Charge Cable, 1M Long.	
CBL-NGWT-USBCHG-01	WT6300 / WT6400 USB/Charging Cable. Allows To Communicate Via USB and Charge the Wearable Terminal.	For use with WT6400 only.
PWR-BGA12V50W0WW	Level VI AC/DC Power Supply (Brick, replacement for PWRS 14000-148R) AC Input: 100-240V, 2.4A DC Output: 12V, 4.16A, 50W Requires: DC line cord and Country specific grounded AC line cord.	Sold separately. Use as: - Power supply for Singe Slot Terminal Charger and Four Slot Battery Charger SKU# CRD-WT5X6-1S1BC-01 and SAC-WT5X6-4SC-01. - AC Line Cord between power supply and outlet. See table below for AC line cord country variants. - DC Line Cord between power supply and charger.
CBL-DC-388A1-01	DC Line Cord for running the single slot cradles or battery chargers from a single Level VI power supply PWR BGA12V50W0WW, Level VI replacement for PWRS-14000-148R.	
CBL-NGWT-AUQDLG-02	Audio Adapter Cable, Compatible With Quick-Disconnect Wired Headsets. Intended For Use When The Device Is Worn On The Hip.	- For use with WT6400 only - Compatible with HS2100

Accessories that power devices

Power supply, cables, and adaptors

Power supply and cable matrix

SKU#	Description	Note
PWR-BGA12V108W0WW	Level VI AC/DC Power Supply (Brick, Replacement for PWRS 14000-241R) AC Input: 100-240V, 2.8A DC Output: 12V, 9A, 108W Requires: DC line cord and Country specific grounded AC line cord.	Sold separately. Use as: - Power supply for Multi-slot Sharecradles and 20-slot battery charger SKU# CRD WT5X6-10SC-01, CRD WT5X6-5S5BC-01, CRD WT64-5S5BE-01 and SAC WT5X6-20SC-01. - AC Line Cord between power supply and outlet. See table below for AC line cord country variants. - DC Line Cord between power supply and charger. - Rack/Wall Mounting bracket for 10-slot device cradle, 20-slot spare battery charger.
CBL-DC381A1-01	DC Line Cord for running multi-slot cradles from a single Level VI power supply PWR-BGA12V108W0WW, Level VI replacement for PWRS-14000-241R	
BRKT-SCRD-SMRK-01	Rack/Wall Mounting bracket for multi-slot cradles.	

Country-specific AC/DC power supplies





SKU#	Country / region	Note
PWR-WUA5V12W0AR	Argentina	
PWR-WUA5V12W0AU	Australia	
PWR-WUA5V12W0BR	Brazil	
PWR-WUA5V12W0CN	China	
PWR-WUA5V12W0EU	European Union	
PWR-WUA5V12W0GB	Great Britain	
PWR-WUA5V12W0IN	India	
PWR-WUA5V12W0KR	Korea	
PWR-WUA5V12W0LA	Latin America	
PWR-WUA5V12W0US	United States	

Accessories that power devices

Power supply, cables, and adaptors

Country-specific AC line cords: grounded, 3-prong

SKU#	Country / region	Note
23844-00-00R	North America (United States, Canada, Mexico)	7.5 feet long Commonly used with chargers mounted in server racks
50-16000-678R	North America (United States, Canada, Mexico)	3 feet long
50-16000-221R	North America (United States, Canada, Mexico)	6 feet long
50-16000-727R	Brazil	1.8 meters (6 feet) long
50-16000-680R	Argentina	1.8 meters (6 feet) long
50-16000-217R	American Samoa, Australia, New Guinea	1.8 meters (6 feet) long
50-16000-218R	Japan	1.8 meters (6 feet) long
50-16000-219R	Antigua, Bermuda, Burma, Channel Islands, Hong Kong, Iraq, Ireland, Malaysia, North Ireland, Scotland, Singapore, United Kingdom, Wales	1.8 meters (6 feet) long
50-16000-257R	China	1.8 meters (6 feet) long
50-16000-220R	Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam	1.8 meters (6 feet) long
50-16000-671R	Italy	1.8 meters (6 feet) long
50-16000-669R	India, S. Africa, Africa	1.8 meters (6 feet) long



Accessories that enable productivity solutions

Wearable Mounts



WT5400 / WT6400, Single Dial Wrist Mount

SKU# SG-WT5X6-WMTSS-01

Wrist Mount With Single Dial Strap, Small.

SKU# SG-WT5X6-WMTSL-01

Wrist Mount With Single Dial Strap, Large.

SKU# SG-WT5X6-WMTSX-01

Wrist Mount With Single Dial Strap, Extra Large, For Wearing Over A Jacket.



WT5400 / WT6400, Double Dial Wrist Mount

SKU# SG-WT5X6-WMTDS-01

Wrist Mount With Double Dial Strap, Small.

SKU# SG-WT5X6-WMTDL-01

Wrist Mount With Double Dial Strap, Large.

SKU# SG-WT5X6-WMTDX-01

Wrist Mount With Double Dial Strap, Extra Large, For Wearing Over A Jacket.



WT5400 / WT6400, Velcro Wrist Mount

SKU# SG-WT5X6-WMTVS-01

Wrist Mount With Two Velcro Straps, Small.

SKU# SG-WT5X6-WMTVL-01

Wrist Mount With Two Velcro Straps, Large.

SKU# SG-WT5X6-WMTVX-01

Wrist Mount With Two Velcro Straps, Extra Large, For Wearing Over A Jacket.



WT5400 / WT6400, Hip Mount

SKU# SG-WT5X6-HPMNT-01

Hip Mount, Allows Wearable Terminal To Be Worn On A Belt

Accessories that enable productivity solutions

Replacement Straps for Wrist Mounts



WT5400 / WT6400, Single Dial Replacement Straps

SKU# SG-NGWT-WSTPST-01

Replacement Wrist Strap With Single Dial, Small, With White Accents. Strap length can be adjusted between 128 mm to 191 mm (5 in to 7.5 in).

SKU# SG-NGWT-WSTPLN-01

Replacement Wrist Strap With Single Dial, Large, With Black Accents. Strap length can be adjusted between 164 mm to 265 mm (6.5 in to 10.5 in).

SKU# SG-NGWT-WSTPXL-01

Replacement Wrist Strap With Single Dial, Extra Large, With Blue Accents. Strap length can be adjusted between 218 mm to 375 mm (8.5 in to 14.8 in).



WT5400 / WT6400, Double Dial Replacement Straps

SKU# SG-WT5X6-WSTDS-01

Replacement Wrist Strap With Double Dial, Small, With White Accents. . Strap length can be adjusted between 128 mm to 191 mm (5 in to 7.5 in).

SKU# SG-WT5X6-WSTDLD-01

Replacement Wrist Strap With Double Dial, Large, With Black Accents. Strap length can be adjusted between 164 mm to 265 mm (6.5 in to 10.5 in).

SKU# SG-WT5X6-WSTDXX-01

Replacement Wrist Strap With Double Dial, Extra Large, With Blue Accents. Strap length can be adjusted between 218 mm to 375 mm (8.5 in to 14.8 in).



WT5400 / WT6400, Velcro Replacement Straps

SKU# SG-WT5X6-WSTVSS-01

Replacement Velcro Wrist Straps, Small. Strap length 290mm (11.4 in).

SKU# SG-WT5X6-WSTVLL-01

Replacement Velcro Wrist Straps, Large. Strap length 340 mm (13.4 in).

SKU# SG-WT5X6-WSTVXX-01

Replacement Velcro Wrist Straps, Extra Large. Strap length 440mm (17.3 in).



WT5400 / WT6400, Replacement X-Straps

SKU# SG-NGWT-WSTVLS-02

Replacement X-strap Wrist Strap, Small. Strap length 132 mm (5.3 in).

SKU# SG-NGWT-WSTVLM-02

Replacement X-strap Wrist Strap, Medium. Strap length 187 mm (7.5 in).

SKU# SG-NGWT-WSTVLL-02

Replacement X-strap Wrist Strap, Large. Strap length 225 mm (9 in).

Accessories that enable productivity solutions


Other Accessories for WT5400 and WT6400



Arm Sleeves

SKU# SG-WT4027050-01R

Optional Arm Sleeves For Wrist Mount (Pack Of 5).



Screen Protector

SKU# MISC-WT5X6-SCRN-05

WT5400/WT6400 Screen Protectors (Pack Of 5).

Corded Ring Scanners (WT6400 only)



RS5000x Standard Trigger Version

SKU# RS5000X-TCFSSWR

RS5000x Corded Wearable Scanner, SE4770, Short Cable, Standard Finger Trigger, Worldwide. Freezer rated to -30C. For use with WT6000, WT6300 and WT6400 wearable terminals only.



RS5000x with Larger Trigger for use with Freezer Gloves

SKU# RS5000X-TCFSXWR

RS5000x Corded Wearable Scanner, SE4770, Short Cable, Freezer Finger Trigger, Worldwide. Freezer rated to -30C. For use with WT6000, WT6300 and WT6400 wearable terminals only.



The Zebra wordmark and logo are trademarks of Zebra Technologies Corp., registered in many jurisdictions worldwide. All other trademarks are the property of their respective owners. ©2025 Zebra Technologies Corp. and/or its affiliates.